

aluminium
**SLIDING
DOORS**

ES 47 Hybrid



P C L
Building Products Limited

ESS47 SLIDING DOORS

Aluminium sliding doors create a visually stunning addition to your home and can add huge value to the property.

Excellent thermal performance and strong, super-slim profile sections to minimise the visible framework and maximise the glass area, is key to the ESS47 Sliding Door's design.

Engineering-grade hardware allows for silky smooth opening and closing operation.

What's more, all our doors are rigorously tested to European safety standards and powder coated to Qualicoat's specifications, for complete peace of mind.

Why choose aluminium?

- ✓ Aluminium is extremely durable and hard-wearing. You'll be able to enjoy your aluminium doors for decades to come due to their resistance to the elements.
- ✓ It is an incredibly strong material, providing a high level of security.
- ✓ Aluminium doors are among the best-insulated on the market thanks to advanced thermal break technology.
- ✓ They require very little maintenance to ensure optimal performance and a fresh appearance.



ESS47 Hybrid

ESS 47 Hybrid

ESS47 Sliding Doors perfectly frame and enhance the outdoor view while creating a light, bright indoor space in your home. They effectively turn an entire wall into glass with the added freedom of accessibility and seamless connection between the indoors and outdoors.

With interlock options of just 25mm or 50mm available, these super slim options allow for maximum vision, excellent thermal performance, noise reduction, high security and weatherproofing.

Designed for large spaces, single, double and triple-track options are available allowing for a variety of opening configurations.

All our products can be finished in several glazing options to create a style to suit any property. Our sliding door range is available with the following glazing options:

- Double glazed
 - Triple glazed
 - Integral blinds
 - Laminated glass
- ... and many more.

EN
TESTED
FOR SAFETY

QUALICOAT
ASSURED
POWDER
COATED

ULTRA
SLIM
SIGHTLINES



Hardware and Security

The super-slim ESS47 Sliding Door system comes with a range of sleek, complementary hardware available in a variety of colours.

The Sliding Door system can also be combined with a high-security multipoint locking system, keeping your property safe and secure. Check with your manufacturer to see which hardware options they offer.



Configurations

The ESS47 Sliding Door system has a variety of opening configurations, depending on how many panes are chosen and which panes you would like sliding or fixed. There is a perfect solution for every project.



Door Colours

Our doors are available in three standard colours, plus two dual colour options.

For projects requiring bespoke coloured doors, any RAL colour is available upon request.



White
RAL9016



Anthracite
Grey RAL7016



Black
RAL9005



Grey Out/
White In



Black Out/
White In



Bespoke RAL
colour

Design Features:

- Super-slim 25mm interlock or 50mm non-bonded option available.
- Double and triple track option.
- Inline slider or lift & slide options.
- High-security lock.
- Smooth sliding operation.
- Quick and easy to fabricate and install.



Our aluminium products complement our range of aluminium doors and windows and can be designed to coordinate with each other for a completed look.

They can also be used on their own to make a unique statement.



Bifolding Doors

OTHER PRODUCTS

Our product offering doesn't end with sliding doors. We have a full range of other aluminium home improvement products that cater for any project, any style, and any aperture.

Other products include:

- Windows
- Bifold doors
- French doors
- Single doors

Our Aluminium window system features:

- Matching 73mm frame, allowing easy connection to the bifold system if needed
- Flush frame and sash gives amazing sightlines
- Document L compliant with all current regulations
- Choice of 5 frame and handle colours
- PAS24:2022 compliant



Super slim casement window




Aluminium French Doors - Heritage Style




SPECIAL FEATURES

- 25mm super-slim or 50mm non-bonded interlocks available
- 250kg max sash weight
- 2.5 x 2.7m max sash dimension
- Multiple configuration options
- Inline slider and lift and slide option - 2 systems in 1
- Rubber gaskets for improved weathering


Cross Section Triple Track




Cross Section Double Track




Triple Track



Double Track



Sash Profile



Market-maximum sash size	2.5m x 2.7m
Maximum sash weight per door leaf	250kg
Interlock sightlines	25mm/50mm
Double track outer frame width	120mm
Triple track outer frame width	183mm
Maximum security	EN tested to European standards
Maximum insulation U-value	1.4 W/m ² K, DER C rating
Maximum weatherproofing	BS6375 Part 1 : 2009
Single or dual colour	Qualicoat factory powder coated

**SUPER
SLIM
INTERLOCK**

Quality

ALUMINIUM SYSTEMS

ES 47 Hybrid

P C L

Building Products Limited

Tel 01613004900
Email sales@pclbuildingproducts.co.uk
www.pclbuildingproducts.co.uk

PCL Building Products Limited | Cemetery Works, Cemetery Road,
Radcliffe, Manchester, M26 4FT

@pcl_building_products 

